



Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

TAHOE POLISH

Tahoe Supply Company LLC

3315 Research Way

Carson City, NV 89706

Product Number:

AR-TPOLISH

Product/Technical **1-(800)-332-3385 California and Nevada**

Information: **1-(775)-883-5588**

Chemical Emergency **1-800-424-9300 Only in the event of
(CHEMTREC): chemical emergency involving a spill,
leak, fire, exposure or accident.**

Shipping Description:	ORM-D, Consumer commodity, cleaning compounds, aerosol, n.o.s.		
NFPA Ratings:		HMS Ratings:	
Health:	1 - Slight	Health:	1 - Slight
Fire:	1 - Slight	Fire:	1 - Slight
Reactivity:	0 - Minimal	Reactivity:	0 - Minimal
		Pers. Prot. Equip.:	A - Safety Glasses

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

Chemical Name(s)	% W	CAS Registry No.	Table Z- 1 - A			Carcinogen
			TWA mg/m ³	STEL mg/m ³	CEILING mg/m ³	
LPG Propellant	5	68476-85-7	1800	Not Established	Not Established	No

SECTION III: PHYSICAL DATA

Boiling Point:	NA	Vapor Pressure:	117@130F
Vapor Density (AIR = 1):	>1	Solubility in Water:	10%
pH:	NA	Specific Gravity (H ₂ O=1):	<1
Evaporation Rate (but.ace.=1):	<1	Percent Solid by Weight:	NA
Physical State:	Liquid		
Appearance & Odor:	Creamy white, lemon fragrance		

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Aerosol Flammability:	This product is considered to be non flammable as described in 16CFR 1500.45.		
Flammable Limits - % Volume in air (Propellant):	LEL: 1.8 UEL: 9.2	Flame Extension:	N/A
Extinguishing Media:	Carbon dioxide, foam and/or dry chemical may be used.		
Special Fire Fighting Procedures:	Containers should be cooled with water to prevent vapor pressure build up. Use equipment or shielding, as required, to protect personnel from bursting, rupturing or venting containers.		
Unusual Fire & Explosive Hazards:	At elevated temperatures (over 54C-130F) containers exposed to direct flame or heat contact should be cooled with water to prevent weakening of container structure.		

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established	Primary Routes of Entry:	Inhalation, Eyes, Skin, Ingestion
Effects of Overexposure-Conditions to Avoid:	Inhalation may cause dizziness, drowsiness and throat irritation. Eye contact may be irritating. Skin contact may cause slight redness. Ingestion of aerosols is not a likely route however, product is of low toxicity.		
Conditions Aggravated by Use:	Preexisting skin or eye disorders may be aggravated by exposure to this product.		

Emergency & First Aid Procedures:

Eyes:	In case of contact; immediately flush eyes with plenty of water for at least 15 minutes while holding eyelids open. Remove contact lenses. If irritation persists; seek medical attention.
Skin:	Remove contaminated clothing Flush skin with water, follow by washing with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until cleaned.
Inhalation:	Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention.
Ingestion:	Get medical attention.

SECTION VI: REACTIVITY DATA

Stability:	Stable	Incompatible Materials:	Heat, open flame and oxidizing agents
Hazardous Decomposition Products:	Carbon monoxide in small amounts and additional toxic chemicals may be formed in small amounts.	Hazardous Polymerization:	NA
Conditions to Avoid:	Do not store above 54C-130F. Keep away from heat, direct sunlight, open flames or sparks. Dropping of containers may cause bursting.		

SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Released or Spilled:	Remove all sources of ignition and ventilate area. Soak up spill with an inert absorbent and place into a designated disposal container. Consult local regulatory agency for proper disposition of material.
Waste Disposal Method:	Do not puncture or incinerate containers. When contents are depleted continue to depress button until all gas is expelled. Dispose of container in accordance with local, state, and federal regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not necessary
Ventilation:	Good general ventilation should be sufficient for most conditions. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Optional: Chemical resistant gloves
Eye Protection(Specify Type):	Chemical safety glasses are recommended.
Other Protective Equipment:	Wear impervious clothing to prevent skin contact.

SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Avoid breathing vapor. Keep away from heat and flame. Use with adequate ventilation. Do not puncture or incinerate containers. Do not expose to direct sunlight or store at temperatures above 130F (54C). Store as Level 1 Aerosol (NFPA 30B).
Other Precautions:	Please read and follow the directions on the product label; they are your best guide to using this product in the most effective way, and give the necessary safety precautions to protect your health.

© LTS 02/07/2002 Name: Nick Spallone Title: General Manager
TAHOE POLISH (aerosol) Effective 08/02/07 Supersedes: 02/07/2002
Date:
Ref: 29 CFR 1910.1200 Changes: Address, Chemical Emergency Number
(OSHA)

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.